


Klever R/T KR601

The terrain you drive on doesn't care and it is not willing to compromise-- It is what it is! The Kenda Klever R/T was designed to conquer rough terrain without sacrificing the ride and comfort of an A/T tire. Combining our Triple Threat 3-Ply sidewall for exceptional durability with aggressive styling, an optimized tread design with a superior all-weather compound makes the Klever R/T the right solution for 4x4 owners on the road, in the snow or in any off-road environment. The Klever R/T is enabled for off-road conditions and is pinned for winter studs. Strong upper sidewall tread blocks assist with typically difficult mud, sand and gravel environments while the construction provides long lasting wear with reasonable ride and noise on-road.



Disclaimer: Indexed tests results shown were conducted on LT285/70R17 via 3rd Party Sheldon Avenue Engineering.



TRIPLE THREAT SIDEWALL

■ 3 full carcass plies of polyester ensure the best amount of protection from impact damage and punctures

■ Aggressive sidewall tread not only gains you traction but protects against cutting, tearing and abrasions

■ Robust bead protector shields the bead area and rim from close encounters with trail obstacles

■ Interlocking center tread blocks for aggressive Off-Road, and Snow performance

■ Large groove volumes to maximize hydroplaning resistance, wet traction, and mud traction performance

■ High sipe density for excellent snow, ice, and wet traction

■ Stud-able for increased winter performance (TSMI #15)

15

SIZE	LOAD	RATING	POPULAR APPLICATIONS
33x9.50R15LT*	C	113Q	69-93 Dodge Ramcharger/W150 O.E.M. Wheels FT • 66-96 Ford Bronco 3"-SS • 69-96 Ford F100/150 3"-SS • 83-88 Ford Ranger 5.5"-SS FT • 89-97 Ford Ranger 5.5"-SS • 67-91 GM Full Size K1500 Pickup/SUV 3"-SS • 88-98 GM K1500 Pickup/SUV 4"-SS WFC • IH Scout II 2"-SS • 55-86 Jeep CJ5/6/7/8 3"-SS • 87-96 Jeep Wrangler YJ 3"-SS • 84-01 Jeep Cherokee/Comanche XJ/MJ 6"-SS • 92-98 Jeep Wagoneer ZJ 3.5"-SS FT • 97-06 Jeep Wrangler TJ/LJ 2"-SS WFC • 99-04 Grand Cherokee WK 3.5"-SS FT • 07-18 Jeep Wrangler JK/JKU 2"-SS WFC • 18-20 Jeep Wrangler JL WFC • 19-21 Jeep Gladiator JT WFC • 69-96 Land Rover-Range Rover 1st Gen 4"-SS • 83-19 Land Rover-Defender 90/110/127 2.5"-SS • 89-04 Land Rover-Discovery Series I/II 4"-SS • 60-84 Toyota Land Cruiser FJ40/45 2.5"-SS • 80-90 Toyota Land Cruiser Wagon FJ60 2.5"-SS • 90-98 Toyota Land Cruiser Wagon FJ80 2.5"-SS • 98-07 Toyota Land Cruiser 100 Series Wagon 2.5"-SS • 79-83 Toyota Hilux Pickup 4"-SS • 84-88 Toyota Hilux Pickup/4Runner 4"-SS • 88-97 Toyota Hilux Pickup 4"-SS • 89-95 Toyota 4Runner 2.5"-SS • 96-02 Toyota 4Runner 2.5"-SS WFC • 96-04 Toyota Tacoma 4"-SS WFC
35x12.50R15LT*	C	113Q	69-93 Dodge Ramcharger/W150 5"-SS • 66-77 Ford Bronco 5.5"-SS • 78-79 Ford Bronco 4"-SS • 80-96 Ford Bronco 6"-SS • 66-79 Ford F100/150 4"-SS • 80-96 Ford F150 6"-SS • 83-97 Ford Ranger 5.5"-SS FG-F&B • 67-91 GM Full Size K1500 Pickup/SUV 6"-SS • 88-98 GM K1500 Pickup/SUV 6"-SS WFC • IH Scout II 4"-SS • 55-86 Jeep CJ5/6/7/8 6"-SS • 87-96 Jeep Wrangler YJ 6"-SS • 84-01 Jeep Cherokee/Comanche XJ/MJ 8"-SS • 92-98 Jeep Wagoneer ZJ 6"-SS FT • 97-06 Jeep Wrangler TJ/LJ 6"-SS WFC • 07-18 Jeep Wrangler JK/JKU 4"-SS WFC • 18-20 Jeep Wrangler JL 4"-SS WFC • 19-21 Jeep Gladiator JT 4"-SS WFC • 69-96 Land Rover-Range Rover 1st Gen 6"-SS • 83-19 Land Rover-Defender 90/110/127 4"-SS • 89-04 Land Rover-Discovery Series I/II 6"-SS • 60-84 Toyota Land Cruiser FJ40/45 6"-SS • 98-07 Toyota Land Cruiser 100 Series Wagon 4"-SS • 79-83 Toyota Hilux Pickup 6"-SS • 84-88 Toyota Hilux Pickup/4Runner 6"-SS • 88-97 Toyota Hilux Pickup 6"-SS • 89-95 Toyota 4Runner 6"-SS FT • 96-02 Toyota 4Runner 6"-SS FT WFC • 96-04 Toyota Tacoma 6"-SS WFC
LT235/70R16	E	104/101R	1997-03 Ford F-150/04-12 E-Series 150, 72-86 Jeep CJ
33x10.50R17LT	E	121R	88-20 GM Full Size Pickup/SUV 1.5" SS, Mounted On O.E.M. Wheels-FT • 94-02 Dodge Ram, Mounted On O.E.M. Wheels • 03-08 Dodge Ram 1500 1.5" SS, Mounted On O.E.M. Wheels-FT • 03-08 Dodge Ram 2500/3500 Mounted On O.E.M. • 09-12 Dodge Ram 1500 1.5" Suspension System, Mounted On O.E.M. • 09-13 Dodge Ram 2500/3500 Mounted On O.E.M. Wheels • 13-20 Dodge Ram 1500 1.5" Suspension System • 14-20 Dodge Ram 2500/3500 Mounted On O.E.M. Wheels • Ford F150/SUV 1.5" Suspension System, Mounted On O.E.M. • 99-20 Ford F250/3500 Mounted On O.E.M. Wheels • 04-20 Ford F150/SUV 1.5" Suspension System, Mounted On O.E.M. • 97-06 Jeep Wrangler 1.5" Suspension System, Mounted On O.E.M. • 07-20 Jeep Wrangler 1.5" Suspension System • 04-20 Nissan Frontier, Titan Armada 1.5" Suspension System • 95-20 Toyota Tacoma, Tundra, FJ 1.5" Suspension System
33x12.50R17LT	E	120R	05-'09 Hummer H3/H3T, '94-'09 Ram 2500/3500, '99-'09 Ford Super Duty, '96-'01 Ford Explorer, '00-'05 Ford Excursion, '06-'09 Jeep Commander
35x10.50R17LT	D	121R	97-20 Ford F150 6" SS • 99-20 Ford F250/350 4" SS • 10-20 Ford F150 Raptor • 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 6"-SS • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS • 19-20 GM Full Size K1500 Pickup 6"-SS • 19-20 GM Full Size SUV 6"-SS • 88-11 GM Full Size K2500/*3500 Pickup 6"-SS • 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS • 94-08 Ram 6" SS • 09-18 Ram 1500 6" SS • 19-20 Ram 1500 6"-SS • 94-20 Ram 2500/3500 4"-SS • 55-86 Jeep CJ5/6/7/8 6"-SS JAFF • 87-96 Jeep Wrangler YJ 6"-SS JAFF • 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF • 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF • 18-20 Jeep Wrangler JL 4"-SS JAFF • 19-21 Jeep Gladiator JT • 04-20 Nissan Frontier 6" SS • 04-20 Nissan Titan/XD 6" SS • 95-17 Toyota Tacoma 6" SS • 06-20 Toyota Tundra 6" SS • 10-20 Toyota 4Runner 6"-SS FT
35x12.50R17LT	E	121R	97-20 Ford F150 6" SS • 99-20 Ford F250/350 4" SS • 10-20 Ford F150 Raptor • 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 6"-SS • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS • 19-20 GM Full Size K1500 Pickup 6"-SS • 19-20 GM Full Size SUV 6"-SS • 88-11 GM Full Size K2500/*3500 Pickup 6"-SS • 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS • 94-08 Ram 6" SS • 09-18 Ram 1500 6" SS • 19-20 Ram 1500 6"-SS • 94-20 Ram 2500/3500 4"-SS • 55-86 Jeep CJ5/6/7/8 6"-SS JAFF • 87-96 Jeep Wrangler YJ 6"-SS JAFF • 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF • 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF • 18-20 Jeep Wrangler JL 4"-SS JAFF • 19-21 Jeep Gladiator JT 4"-SS JAFF • 04-20 Nissan Frontier 6" SS • 04-20 Nissan Titan/XD 6" SS • 95-17 Toyota Tacoma 6" SS • 06-20 Toyota Tundra 6" SS • 10-20 Toyota 4Runner 6"-SS FT
37x12.50R17LT*	D	124R	97-14 Ford F150 6" SS FGF • 15-20 Ford F150 6" SS • 99-20 Ford F250/350 6" SS • 10-20 Ford F150 Raptor 4" SS • 97-14 Ford F150 6" SS FGF • 15-20 Ford F150 6" SS • 99-20 Ford F250/350 6" SS • 10-20 Ford F150 Raptor 4" SS • 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 8"-SS • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS FGF • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS FGF • 19-20 GM Full Size K1500 Pickup 6"-SS FGF • 88-11 GM Full Size K2500/*3500 Pickup 6"-SS FGF • 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS • 01-07 GM Full Size K1500/2500 SUV 7"-SS FGF • 07-10 GM Full Size K1500/2500 SUV 7"-SS FGF • 94-08 Ram 6" SS FGF • 09-18 Ram 1500 6" SS FGF • 19-20 Ram 1500 6" SS • 94-13 Ram 2500/3500 6" SS FGF • 14-20 Ram 2500/3500 5" SS • 55-86 Jeep CJ5/6/7/8 6"-SS JAFF • 87-96 Jeep Wrangler YJ 6"-SS JAFF • 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF • 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF • 18-20 Jeep Wrangler JL 4"-SS JAFF • 19-21 Jeep Gladiator JT 4"-SS JAFF • 04-17 Nissan Titan/XD 6" SS FGF • 95-17 Toyota Tacoma 6" SS • 06-20 Toyota Tundra 6" SS FGF • 10-20 Toyota 4Runner 6" SS FGF FT
LT235/80R17	E	120/117R	2011-20 Chevy Dually 3500, 03-20 Ram Dually 3500, 11-19 GM Sierra Dually 3500 series
LT245/75R17	E	121/118R	2011-20 Chevy 2500 HD series, 10-13 Ford F-150 Heavy Duty/05-20 F-250 Super Duty 2WD-4WD/05-20 F-350 Super Duty 2WD-4WD/ 17-20 F-350 Dually, 11-20 GMC Sierra 2500 HD, 04-07 Nissan Titan XE/16-20 Titan XD/12-20 ND3500 HD
LT265/70R17	E	121/118R	1999-2020 Chevy 1500 series, 11-19 Chevy 2500 HD WT, 02-10 Ram 1500 series, 03-10 Ram 2500 series, 05-10 Ram 3500 series, 09-20 Ford F-150 4WD, 2017-20 F-250 Super Duty, 1997-2020 GMC 1500 series, 07-14 GMC 2500 HD, 99-10 GMC 3500 2WD-4WD, 05-15 Nissan XTerra Off-Road/Pro-4X, 09-13 Suzuki Equator, 07-20 Toyota FJ Cruiser/10-17 4-Runner
LT285/70R17	E	121/118R	2006-10 Dodge Ram 2500 series, 12-19 Ram 2500 series, 15-17 Ram 1500 Rebel, 08-08 Nissan Armada/Titan SE Off-Road PKG, 09-10 Toyota Tundra TRD
33x12.50R18LT	F	122R	05-'09 Hummer H3/H3T, '94-'09 Ram 2500/3500, '99-'09 Ford Super Duty, '96-'01 Ford Explorer, '00-'05 Ford Excursion, '06-'09 Jeep Commander
35x12.50R18LT	E	123R	97-20 Ford F150 6" SS • 99-20 Ford F250/350 4" SS • 10-20 Ford F150 Raptor • 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 6"-SS • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS • 19-20 GM Full Size K1500 Pickup 6"-SS • 19-20 GM Full Size SUV 6"-SS • 88-11 GM Full Size K2500/*3500 Pickup 6"-SS • 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS • 94-08 Ram 6" SS • 09-18 Ram 1500 6" SS • 19-20 Ram 1500 6"-SS • 94-20 Ram 2500/3500 4"-SS • 55-86 Jeep CJ5/6/7/8 6"-SS JAFF • 87-96 Jeep Wrangler YJ 6"-SS JAFF • 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF • 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF • 18-20 Jeep Wrangler JL 4"-SS JAFF • 19-21 Jeep Gladiator JT 4"-SS JAFF • 04-20 Nissan Frontier 6" SS • 04-20 Nissan Titan/XD 6" SS • 95-17 Toyota Tacoma 6" SS • 06-20 Toyota Tundra 6" SS • 10-20 Toyota 4Runner 6"-SS FT

16

17

18

18

SIZE	LOAD	RATING	POPULAR APPLICATIONS
LT265/65R18	E	122/119R	2007-20 Chevy 1500 series, 09-20 GMC 1500 various, 08-10 Hummer H3X
LT275/65R18	E	123/120R	2009-12 Chevy Colorado Z71 2WD-4WD, 04-20 Ford F-150 series/05-17 Ford F-250 & F-350 Super Duty 2WD-4WD, 07-18 Jeep Wrangler, 06-08 Lincoln MarkLT 4WD, 16-20 Nissan Titan XD series, 07-20 Toyota Tundra/10-20 4-Runner
LT275/70R18	E	125/122R	2005-20 Ford F-250 Super Duty 2WD-4WD, 05-20 Ford F-350 Super Duty 2WD-4WD, 14-19 Ram 2500 series/3500 series, 08-15 & 2017-20 Nissan Titan Pro-4X
LT285/75R18*	E	129/126R	97-20 Ford F150 6" SS • 99-20 Ford F250/350 4" SS • 10-20 Ford F150 Raptor • 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 6"-SS • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS • 19-20 GM Full Size K1500 Pickup 6"-SS • 19-20 GM Full Size SUV 6"-SS HO24 • 88-11 GM Full Size K2500/*3500 Pickup 6"-SS • 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS • 94-08 Ram 6" SS • 09-18 Ram 1500 6" SS • 19-20 Ram 1500 6"-SS • 94-20 Ram 2500/3500 4"-SS • 55-86 Jeep CJ5/6/7/8 6"-SS JAFF • 87-96 Jeep Wrangler YJ 6"-SS JAFF • 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF • 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF • 18-20 Jeep Wrangler JL 4"-SS JAFF • 19-21 Jeep Gladiator JT 4"-SS JAFF • 04-20 Nissan Frontier 6"-SS • 04-17 Nissan Titan/XD 6" SS • 95-17 Toyota Tacoma 6"-SS • 06-20 Toyota Tundra 6"-SS • 10-20 Toyota 4Runner 6"-SS FT
33x12.50R20LT	F	119R	05-'09 Hummer H3/H3T, '94-'09 Ram 2500/3500, '99-'09 Ford Super Duty, '96-'01 Ford Explorer, '00-'05 Ford Excursion, '06-'09 Jeep Commander
35x12.50R20LT	F	125R	97-20 Ford F150 6" SS • 99-20 Ford F250/350 4" SS • 10-20 Ford F150 Raptor • 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 6"-SS • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS • 19-20 GM Full Size K1500 Pickup 6"-SS • 19-20 GM Full Size SUV 6"-SS HO24 • 88-11 GM Full Size K2500/*3500 Pickup 6"-SS • 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS • 94-08 Ram 6" SS • 09-18 Ram 1500 6" SS • 19-20 Ram 1500 6"-SS • 94-20 Ram 2500/3500 4"-SS • 55-86 Jeep CJ5/6/7/8 6"-SS JAFF • 87-96 Jeep Wrangler YJ 6"-SS JAFF • 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF • 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF • 18-20 Jeep Wrangler JL 4"-SS JAFF • 19-21 Jeep Gladiator JT 4"-SS JAFF • 04-20 Nissan Frontier 6"-SS • 04-17 Nissan Titan/XD 6" SS • 95-17 Toyota Tacoma 6"-SS • 06-20 Toyota Tundra 6"-SS • 10-20 Toyota 4Runner 6"-SS FT
37x12.50R20LT*	F	128R	97-14 Ford F150 6" SS FGF • 15-20 Ford F150 6" SS • 09-20 Ford F150 6" HO20 • 99-20 Ford F250/350 6" SS • 10-20 Ford F150 Raptor 4" SS • 97-14 Ford F150 6" SS FGF • 15-20 Ford F150 6" SS • 99-20 Ford F250/350 6" SS • 10-20 Ford F150 Raptor 4" SS • 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 8"-SS • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS FGF • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS FGF • 19-20 GM Full Size K1500 Pickup 6"-SS FGF • 19-20 GM Full Size K1500 Pickup 6"-SS HO20 • 88-11 GM Full Size K2500/*3500 Pickup 6"-SS FGF • 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS • 01-07 GM Full Size K1500/2500 SUV 7"-SS FGF • 07-10 GM Full Size K1500/2500 SUV 7"-SS FGF • 94-08 Ram 6" SS FGF • 09-18 Ram 1500 6" SS FGF • 19-20 Ram 1500 6" SS • 94-13 Ram 2500/3500 6" SS FGF • 14-20 Ram 2500/3500 5" SS • 55-86 Jeep CJ5/6/7/8 6"-SS JAFF • 87-96 Jeep Wrangler YJ 6"-SS JAFF • 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF • 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF • 18-20 Jeep Wrangler JL 4"-SS JAFF • 19-21 Jeep Gladiator JT 4"-SS JAFF • 04-17 Nissan Titan/XD 6" SS FGF • 95-17 Toyota Tacoma 6" SS • 06-20 Toyota Tundra 6" SS FGF • 10-20 Toyota 4Runner 6" SS FGF FT
LT275/55R20	E	120R	2003-20 Chevy 1500 series, 02-10 Ram 1500 series, 97-20 Ford F-150 series, 05-20 GMC 1500 series, 07-17 Jeep Wrangler Sahara, 06-08 Lincoln Mark LT/07-20 Navigator, 07-20 Toyota Tundra series/08-20 Sequoia/10-20 4-Runner
LT285/55R20	E	122R	2009-13 GMC 1500 series, 04-20 Ford F-150 series, 04-07 Nissan Titan Off-Road PKG - ALL PLUS SIZED
33X12.50R22LT	F	114R	05-'09 Hummer H3/H3T, '94-'09 Ram 2500/3500, '99-'09 Ford Super Duty, '96-'01 Ford Explorer, '00-'05 Ford Excursion, '06-'09 Jeep Commander
35x12.50R22LT	F	121R	97-20 Ford F150 6" SS • 99-20 Ford F250/350 4" SS • 10-20 Ford F150 Raptor • 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 6"-SS • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS • 19-20 GM Full Size K1500 Pickup 6"-SS • 19-20 GM Full Size SUV 6"-SS HO24 • 88-11 GM Full Size K2500/*3500 Pickup 6"-SS • 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS • 94-08 Ram 6" SS • 09-18 Ram 1500 6" SS • 19-20 Ram 1500 6"-SS • 94-20 Ram 2500/3500 4"-SS • 55-86 Jeep CJ5/6/7/8 6"-SS JAFF • 87-96 Jeep Wrangler YJ 6"-SS JAFF • 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF • 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF • 18-20 Jeep Wrangler JL 4"-SS JAFF • 19-21 Jeep Gladiator JT 4"-SS JAFF • 04-20 Nissan Frontier 6"-SS • 04-17 Nissan Titan/XD 6" SS • 95-17 Toyota Tacoma 6"-SS • 06-20 Toyota Tundra 6"-SS • 10-20 Toyota 4Runner 6"-SS FT
37x12.50R22LT*	F	127Q	97-14 Ford F150 6" SS FGF • 15-20 Ford F150 6" SS • 09-20 Ford F150 6" HO22 • 99-20 Ford F250/350 6" SS • 10-20 Ford F150 Raptor 4" SS • 97-14 Ford F150 6" SS FGF • 15-20 Ford F150 6" SS • 99-20 Ford F250/350 6" SS • 10-20 Ford F150 Raptor 4" SS • 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 8"-SS • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS FGF • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS FGF • 19-20 GM Full Size K1500 Pickup 6"-SS FGF • 19-20 GM Full Size K1500 Pickup 6"-SS HO22 • 88-11 GM Full Size K2500/*3500 Pickup 6"-SS FGF • 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS • 01-07 GM Full Size K1500/2500 SUV 7"-SS FGF • 07-10 GM Full Size K1500/2500 SUV 7"-SS FGF • 94-08 Ram 6" SS FGF • 09-18 Ram 1500 6" SS FGF • 19-20 Ram 1500 6" SS • 94-13 Ram 2500/3500 6" SS FGF • 14-20 Ram 2500/3500 5" SS • 55-86 Jeep CJ5/6/7/8 6"-SS JAFF • 87-96 Jeep Wrangler YJ 6"-SS JAFF • 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF • 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF • 18-20 Jeep Wrangler JL 4"-SS JAFF • 19-21 Jeep Gladiator JT 4"-SS JAFF • 04-17 Nissan Titan/XD 6" SS FGF • 95-17 Toyota Tacoma 6" SS • 06-20 Toyota Tundra 6" SS FGF • 10-20 Toyota 4Runner 6" SS FGF FT
33X12.50R24LT*	F	106Q	05-'09 Hummer H3/H3T, '94-'09 Ram 2500/3500, '99-'09 Ford Super Duty, '96-'01 Ford Explorer, '00-'05 Ford Excursion, '06-'09 Jeep Commander
35x12.50R24LT*	F	116Q	97-20 Ford F150 6" SS • 99-20 Ford F250/350 4" SS • 10-20 Ford F150 Raptor • 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 6"-SS • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS • 19-20 GM Full Size K1500 Pickup 6"-SS • 19-20 GM Full Size SUV 6"-SS HO24 • 88-11 GM Full Size K2500/*3500 Pickup 6"-SS • 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS • 94-08 Ram 6" SS • 09-18 Ram 1500 6" SS • 19-20 Ram 1500 6"-SS • 94-20 Ram 2500/3500 4"-SS • 55-86 Jeep CJ5/6/7/8 6"-SS JAFF • 87-96 Jeep Wrangler YJ 6"-SS JAFF • 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF • 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF • 18-20 Jeep Wrangler JL 4"-SS JAFF • 19-21 Jeep Gladiator JT 4"-SS JAFF • 04-17 Nissan Titan/XD 6" SS • 95-17 Toyota Tacoma 6" SS • 06-20 Toyota Tundra 6" SS • 10-20 Toyota 4Runner 6"-SS FT

* Est. Available Q4 2020

All styles have raised black lettering sidewall (RBL)

SS-Suspension System; FT-Fender Trimming; WFC-Wheel Fitment Check; FGF-Fiberglass Fenders; FG/F&B-Fiberglass Fenders & Bed Sides; JAFF-Jeep Aftermarket Flat Fenders

HO20-High Offset 20' Wheels 5.5-6.25" Back Spacing; HO22-High Offset 22' Wheels 5.5-6.25" Back Spacing; HO24-High Offset 24' Wheels 5.5-6.25" Back Spacing

22

24